

The Tidal Model: Psychiatric colonisation, recovery and the need for a paradigm shift in mental health care.

©Phil Barker and Poppy Buchanan-Barker

www.tidal-model.co.uk

Introduction

People with putative mental illness/disorder/health problems are commonly assumed to be in need of 'care and treatment'. However, what these terms represent in the contemporary socio-political context remains unclear.

Although nursing, traditionally, has been associated with care, psychiatric nurses have largely eschewed any attempt to explicate the concept of caring (Barker, 1989; 2000a) choosing instead to follow the fashions of the day, whether this be applying the science of biology or 'policing the mad' (Clarke, 1999).

Traditionally, British and North American nurses were the key voices of the emergent discipline of psychiatric nursing. In the USA, the humanistic focus of psychiatric nursing, which emerged in the 1960's (Travelbee, 1969), heralded the emergence of the therapeutic alliance, consumer/user-collaboration and the principle of empowerment, which had its origins, at least within nursing, in Peplau's (1952) interpersonal relations theory. However, this emphasis has been overshadowed by the emphasis on professionalism, which threatens to remould nursing further in the image of medicine, largely to satisfy the demands of economic rationalism required by the healthcare 'business'. In the UK this takes the form of nurses acquiring specific 'skills': for example in the use of cognitive-behavioural methods, to foster compliance with medication (Kemp et al, 1997). Despite the emergent partnerships and collaboration rhetoric, in practice mental health care still stands in the shadow of psychiatric medicine.

Psychiatry and Power

For more than a century psychiatry has promoted the idea that psychological, social and emotional problems are a function of some underlying (but unidentified) biological pathology, thus providing a rationale for every kind of psychiatric treatment - from insulin coma, through electro-convulsive therapy (sic) to neuroleptic medication. Forty years ago Szasz began his radical critique of the medicalisation of what he asserted were 'problems of living' (Szasz, 1961). Although medicine has strenuously resisted such criticisms, the American Psychiatric Association has abandoned the notion of an underlying 'disease' process, re-framing the various mental 'illnesses' as forms of 'mental disorder'. This may represent the subtlest, but most significant, illustration of its capitulation to Szasz's critique.

Szasz's emphasis of the metaphorical status of mental illness is, however, only one dimension of the movement, loosely called 'critical psychiatry', which challenges mainstream psychiatric thinking on a range of gender, race, culture and scientific issues, all with implications for the practice of mental health care (Newnes et al, 1999).

The social construction of mental illness, especially through the diagnostic process, has long been the subject of debate (e.g Conrad, 1992; Daniels, 1970; Farber, 1987). However, Kirk and Kutchins (1992; 1997) made the original observation that the repeated revisions and additions to the DSM were not initiated by working clinicians, but rather stemmed from the influence of the census, medical groups, the army or psychiatric researchers. Arguably, the 'good clinician' knows that however many diagnostic categories are available, the resolution of the person's problems (of living) begin with someone who seeks to understand rather than classifying the 'patient'.

Aside from concerns about the reliability and validity of psychiatric diagnosis (Kirk and Kutchins, 1992) the narrowness of the diagnostic approach that is problematic. As Laing (1967) noted, "it is an approach that fails to view persons qua persons, and degrades them to the status of 'objects'". Over 30 years later, psychiatry's failure to try to understand people and the critical role of the creation of meanings within the therapeutic relationship, remain enduring concerns (Kismayer, 1994; Modrow, 1995).

Such concerns led Grob (1983) to describe psychiatry as a political and professional 'movement' rather than a scientific enterprise concerned with caring for people who were definably 'ill'. Beverly Hall, the distinguished North American nurse recognised how psychiatric diagnosis and the medical model served only to disempower people, rather than help them. Their adverse effects upon nursing practice led Hall (1996) to argue for the recognition of human values over 'objectivity' in mental health care. In a related vein Dumont (1984) exposed the fallacious distinction between illness and wellness in Western thought, suggesting the urgent need for a paradigm shift in the conceptualisation of 'mental illness'.

However, psychiatry has a remarkable capacity to shrug off its many critics, whether philosophical, scientific, social or political. Despite being the butt of many popular jokes, at the beginning of the 21st Century, psychiatry retains its patriarchal power (Barker and Stevenson, 2000), evidenced by the number of people around the world who are hospitalised, or required to accept (often dangerous) psychiatric treatment, (many against their will), for an 'illness' or 'disorder' for which there exists no definitive empirical 'test'. Neither should we forget the cruel irony in the fact that:

"Psychiatrists, of course, do ask for tests such as CT scans on their patients, but these are to exclude the possibility of brain damage. In other words, they are checking to see if

there is a real brain problem, evidence of illegal drug use or whatever. Once they have concluded that there is nothing demonstrably amiss with the patient's brain or biochemistry, they tell the person that they have a condition that results from a biochemical problem. But they don't have a test that could prove a so-called mental illness was actually organic in origin (Newnes, 2002)”.

The idea of people taking (or being required to take) powerful drugs, with multiple deleterious ‘side-effects’, for a physical condition – like cancer or diabetes – in the absence of a diagnostic test, would be seen as ludicrous if not morally suspect. That so many people, in most Western cultures, readily accept this state of affairs, and that so many nurses – traditionally defined as their carers, if not ‘advocates’ – shore up this system, attests to psychiatry’s enduring power.

Colonisation and Power

For the past 30 years Szasz has focused on slavery as the choice psychiatric icon (Szasz, 2002).

“The psychiatric profession has, of course, a huge stake, both existential and economic, in being socially authorized to rule over mental patients, just as the slave-owning classes did in ruling over slaves. In contemporary psychiatry, indeed, the expert gains superiority not only over members of a specific class of victims, but over the whole of the population, whom he may ‘psychiatrically evaluate’.(Szasz, 1974: 135).

In Szasz’s view, any form of involuntary hospitalisation is a ‘crime against humanity’, and the practice of psychiatry echoes the fundamental human rights violation perpetrated by slave-owners, who also justified their practices as being, somehow, in the ‘best interests’ of the childlike, primitive, or otherwise enfeebled ‘negro’. In this sense, Szasz was the first writer to explore psychiatry’s colonisation of the self.

Psychiatric power has long been invested in the number of patients held by the psychiatrist and - in descending order of importance - the nurses, support workers and various ancillary staff responsible for ‘caring’ for the patient. With the advent of de-institutionalisation, people who once were patients have become, at least in principle, citizens again. However, in Szasz’s view, all that was achieved for the majority, who were transferred into various forms of state-funded support, was that “they are now maintained like pets rather than being locked up in the zoo” (Szasz, 2000). Those who once were slaves – made to work in hospital laundries, farms and wards for their keep, and who were paraded, and made to undress emotionally, before ogling students, to reinforce the mastery of the doctor – have now escaped and have found their free voice in the community. Or have they?

Before one can talk seriously about ‘postpsychiatry’ (Bracken and Thomas, 2001) contemporary psychiatrists must give up their use of the empty, but damaging, nosology of the DSM and ICD, must stop administering psychoactive medications against a person’s expressed wishes, and must eschew the use of the detention powers inherent in the Mental Health Act. It is axiomatic that psychiatric nursing, if it wished to enact genuine mental health nursing would need to follow suit. These coercive dimensions of contemporary psychiatric practice maintain a link, however it is disguised, to the colonising power of 19th Century psychiatry (Scull, 1979), which generated a more subtle, but no less powerful paradigm of social control (Leifer, 1990; Robitscher, 1980; Schrag, 1978).

The psychiatric colonisation literature is, as yet, somewhat limited, focusing mainly on the after-effects of colonisation – as a socio-cultural phenomenon – on the ‘mental health’ of indigenous peoples (Deiter and Otway, 2001; Samuels, 2000). However, the concept of the ‘colonisation of the self’ finds an echo in the literature on oppression (Bulham, 1985) or the more specifically in feminism (Hawthorne and Klein, 1999). Szasz challenged psychiatry to confront its failure to address the persecution and exploitation, which was inherent in its supposedly humanitarian ‘care and treatment’ programmes (Szasz, 1994). In that sense, he re-located the ‘mentally ill’ alongside other ‘dispossessed’ persons, whose core identity had been demeaned or misappropriated: notably women and all non-white/ non-Christian peoples. For all such peoples, self-determination lies at the core of their struggle to recover their full human status (Alves and Cleveland, 1999).

The Power of Recovery

“The goal of the recovery process is not to become normal. The goal is to embrace our human vocation of becoming more deeply, more fully human. The goal is not normalization. The goal is to become the unique, awesome, never to be repeated human being that we are called to be. The philosopher Martin Heidegger said that to be human means to be a question in search of an answer. Those of us who have been labeled with mental illness are not de facto excused from this most fundamental task of becoming human. In fact, because many of us have experienced our lives and dreams shattering in the wake of mental illness, one of the most essential challenges that faces us is to ask, who can I become and why should I say yes to life? (Deegan, 1996a)”

The end of the 20th Century witnessed a rebirth of anxiety over the moral and ethical basis of psychiatry, if not also its scientific validity (Bracken and Thomas, 2001). Some psychiatrists began to acknowledge openly the inherent ‘ideology’ of psychiatric medicine: Schaeff (1992) described how her training instilled assumptions about

‘treatment’, which required patients to adjust themselves to fit ‘into an addictive, sexist, racist, self-destructing society’; and Double (2002) acknowledged that biomedicine directs psychiatrists away from understanding the patient as a person, reducing her/him ‘to a brain that needs its biology cured’. Although Engels’ (1977) original biopsychosocial model has at last found its way into the parlance of contemporary psychiatry, often this is used merely to grease the wheels of the traditional psychiatric process. These varied critiques of psychiatric treatment and its fundamental theoretical and philosophical base, led indirectly to the emergence of the recovery movement, which has even begun to influence government health departments (e.g. Department of Health, 2001). However, the concept of recovery begs the fundamental question: “what is psychiatry actually needed for?”

In Deegan’s view recovery does “not refer to an end product or result” or that “one is ‘cured’ (or even) that one is simply stabilised or maintained in the community” (Deegan, 1996b). Rather, “recovery often involves a transformation of the self wherein one both accepts one’s limitations and discovers a new world of possibility (Deegan, 1996b)” In that sense people do not ‘get rehabilitated’, which implies that they are passive objects. This is one particular connotation of the word rehabilitation that Deegan finds “oppressive”.

Deegan rejects the view that there can be such a thing as a “hopeless case”, acknowledging that ‘giving up’ is often a way of surviving in environments that are oppressive and which fail to nurture and support the person. When Marie Balter was asked: “Do you think that everybody can get better?” she replied

“It’s not up to us to decide if they can or can’t. Just give everybody the chance to get better and let them go at their own pace. And we have to be positive – supporting their desire to live better and not always insisting on their productivity as a measure of their success”. (Balter and Katz, 1987: 153)

In Deegan’s view Balter is acknowledging the need for a conspiracy of hope, developing the concept of ‘power with’ or ‘creating power together’, eschewing the traditional power we exercise over people (Miller, 1976). Such a conspiracy (from the Latin *conspirare*, meaning to ‘breathe the spirit together’) is the fundamental attitude for the practical development of the recovery ethos.

The Tidal Model: An alternative paradigm for ‘caring with’.

The Tidal Model (Barker, 2002) was developed in England between 1995-1998, from a series of studies, which focused initially on the ‘need for psychiatric nursing’ (Barker et

al, 1999) and the discrete nature of the power-relationship between nurses and the people in their care (Barker et al, 2000). The model acknowledges that the phenomenon of “mental illness” can be viewed through different theoretical lenses, but asserts the virtue of construing such phenomena, primarily, as problems of living that can delimit the effective functioning of the person on various intrapersonal, interpersonal, transpersonal and spiritual levels. The Tidal Model employs a pragmatic and respectful approach to the person recognising, as Alanen et al (1991) did, that it is more important to help people and their families conceive of their situation “as a consequence of the difficulties the patients (sic) and those close to them have encountered in their lives, rather than as a mysterious illness the patient has developed as an individual(Alanen et al,1991)”. By emphasising the centrality of the lived-experience, of the person and her/his significant others, the need for mutual understanding between nurse and the person in care is also acknowledged and the need for a personally-appropriate, contextually-bound form of care, established.

Originally introduced in to acute care settings (Barker, 1998), the Tidal Model has since developed the concept of a 'care continuum', with sites in hospital, community, rehabilitation and forensic settings. The model emphasises the person's need for three discrete forms of care - 'critical', 'transitional' and 'developmental – representing different, hypothetical stages of the care process. The care continuum spans the hospital-community divide emphasising that need should be the primary focus for care, rather than the setting within which care is delivered.

Although the model may complement the care and treatment offered by other disciplines, its primary emphasis is the exploration and development of the lived-experience of the person-in-care. Specific emphasis is given to ways of revealing and clarifying meanings and values, which the person attaches to, or associates with problems of living. Where appropriate, this exploration extends from the intrapersonal domain, through interpersonal conceptions of Self and Other, to address what might be defined, classically, as the religious, mystical or spiritual dimensions of self-hood (Barker, 2000). In each instance, however, the constructions of the person’s experience of personhood are realised through mutual discussion, and all assessments and care plans are acts of co-creation, between the person in care and those supporting her/him. Barker and Whitehill (1997) originally called this the process of ‘caring with’.

The Process of Change

Unlike normative or adaptational psychiatric models, the Tidal Model holds no assumptions about the proper course of a person’s life, focusing instead on the kind of support that people believe they need now, to take the next step on their recovery

journey. The language of recovery and journey is emphasised since, as Deegan (1996a) and others (Barker et al, 1999) have illustrated, the process of entering, surviving and recovering from seriously disabling life crises, is invariably expressed in metaphorical terms. This is the language of everyday reality, which differs markedly from the anodyne, abstruse language of psychiatric medicine or nursing diagnosis (Barker, 2000).

People experiencing life crises are (metaphorically) in deep water and risk drowning, or feel as if they have been thrown on to the rocks. People who have experienced trauma (such as injury or abuse), or those with more enduring life problems (e.g. repeated breakdowns, hospitalisations, loss of freedom), often report loss of their ‘sense of self’, akin to the trauma associated with piracy. In such instances, people need a sophisticated form of life-saving (psychiatric rescue) followed, at an appropriate interval, by the kind of developmental work necessary to engender true recovery. This may take the form of crisis intervention in community or the ‘safe haven’ of a crisis house. In nursing terms, once the rescue is complete (psychiatric nursing) the emphasis switches to the kind of help needed to get the person ‘back on course’, returning to a meaningful life in the community (mental health nursing).

In contrast to the current vogue for protocols and standardised care packages, the templates for assessment and intervention contained within the Tidal Model serve only as a springboard for the creative, conjoint exploration of the person’s need for nursing. By accepting the need for a continuously flexible response to the person the Tidal Model also recognises the inherently chaotic nature of human behaviour, and human experience (Barker, 1996); something that is bounded but infinitely changeable.

The Power of Narrative

Oliver Sacks articulated clearly the importance of moving away from the “I-it” (Buber, 1958) relationship traditionally expressed by psychiatric medicine:

“To restore the human subject at the center – the suffering, afflicted, fighting, human subject – we must deepen a case history to a narrative or tale; only then do we have a ‘who’ as well as a ‘what’, a real person, a patient, in relation to a disease – in relation to the physical...the study of disease and identity cannot be disjoined...(stories) bring us to the very intersection of mechanism and life, to the relation of physiological processes to biography (Sack, 1970, p.viii).

The Tidal Model assumes that people are their narratives (MacIntyre, 1981), which are the media for their reflections and personal theories about what is going on within, and in their relations with their wider world of experience. The person’s sense of self, and world

of experience - including experience of others - is inextricably tied to the life story and the various meanings generated within it (Casey and Long, 2002). The Tidal Model seeks to construct a narrative-based form of practice (Barker and Kerr, 2001), which differs markedly from most contemporary forms of evidence-based practice. The former is always about particular human instances, whereas the latter is based on the behaviour of populations, whose elements are merely assumed to be equivalent. More importantly, the narrative focus of the Tidal Model is not concerned to unravel the causative course of the person's current problems of living, but aims to use the experience of the person's journey and its associated meanings, to chart the 'next step': what needs to be done to help the person progress on their life journey.

As part of this conjoint, exploration of the person's lived experience the assessment record is written entirely in the person's own voice, rather than translated into a third person account, or into professional language. The nurse and the person in care co-create a narrative account of the person's immediate world of experience. This includes the identification of what the person believes (s)he needs, at that moment, in terms of nursing intervention, and what 'needs to happen' to meet that need (Barker, 2002).

In the course of mental health care and treatment it is commonplace for nurses to note that people 'change their stories'. This is a reflection of how consideration of the past in the light of the present (which is changing) serves notice that the person is also involved in creating the future (which is imaginary). Cixious (1993) noted:

"I'll tell you frankly, that I haven't the faintest idea who I am, but at least I know I don't know (p51).

It is folly, therefore, to talk of some putative 'true story' – since this is no more than a pattern of context or agency. Instead, the nurse aims to help the person develop a story, which takes account of how the person is presently making sense of life events (including the process of care) as and when they occur.

Extending the metaphor of the script edit into care planning language, the model proposes that each person should be assessed only once (holistically) during each period of contact with the service. This leads directly to the development of the first care plan, which is reviewed and revised daily with the person (where the person is in residential care), tailoring and adapting the processes of care, to fit what might be small, but significant, changes in the person's presentation or context. The story recorded at the first holistic assessment, becomes the opening page of this chapter of the life story of the current episode of care. This is written conjointly page by page, and is closed only when the person is ready to make the transition to home, or to a new care setting.

The Conspiracy of the Hopeline

The experience of mental ill health is inherently disempowering. Although often described as offering mental health care, invariably psychiatric services focus only on limiting the personal and interpersonal damage resulting from problems of living, often compounding the original disempowerment scenario. The Tidal Model attempts to address directly the most common form of disempowerment - the failure to afford a proper hearing to the personal story of the experience of problems of living. Traditionally, this personal account is plundered to provide the necessary materials for the psychiatric formulation, and the consequent 'intervention'. Frequently this begins with the requirement that the person abandon his or her own story of human distress, in favour of the professional perspective – especially that framed by diagnosis.

Drawing on personal experience, Deegan (1996b) described the colonising psychiatric influence at work when:

“Professionals said we were making progress because we learned to equate our very selves with our illness. They said it was progress because we learned to say “I am a schizophrenic”...and each time we repeated this dehumanising litany our sense of being a person was diminished as ‘the disease’ loomed as an all powerful ‘it’, a wholly Other entity, an ‘it-itself’ that we were taught we were powerless over.”

The Tidal Model tries to avoid reducing the person to a 'patient phenomenon', whilst recognising the impossibility of developing anything more than a provisional account of people's life experiences (which are in constant flux), and immediate need-for-nursing (which also is subject to change). By incorporating specific empowering interactions, drawn from empirical research (Barker et al, 2000) the Tidal Model puts the person's experience, and unfolding life-narrative centre stage. The nurse provides the necessary support to ensure the person's emotional and physical safety, (self domain) helps the person explore and identify what needs to change, to facilitate recovery (world domain) and explores the possible roles of professionals, family and friends, in the whole recovery process (others domain). These suggest the presence of a 'hopeline' that might link the person, metaphorically, to the supportive environment where (s)he might begin to feel secure enough to begin the recovery process.

Research and Development

The Tidal Model is presently the subject of a range of pilot evaluations in several countries – Japan, New Zealand, Ireland and Canada. Two extensive evaluations of the implementation of the model, across an Adult Mental health programme in Newcastle, England, have been reported (Fletcher and Stevenson, 2001; Stevenson, Barker and Fletcher, 2002) and a user-focused evaluation of the direct experiences of care by service users, also has been completed (Stevenson, Barker and Fletcher, 2002). Given the pragmatic, collaborative nature of the model, it lends itself best to process evaluation. However, preliminary evaluation has also suggested some of the possible outcome effects

of the model, across a range of variables: e.g. length of stay in acute units, use of medication, use of 'containment' procedures, such as special observation and control and restraint procedures, incidence of violence, suicide and self-harm.

Conclusion

Champ (2002) described the frustrations felt by consumers of mental health services, at their lack of involvement in research:

“The colonisation of consumer experience begins with the problem of research agendas that, for the most part, are not determined by the consumers themselves. An example that illustrates this is in the area of recovery from schizophrenia. When consumers are asked what aids recovery, high on their list is ‘the need for hope’. This clearly is seen as a key to recovery by consumers but rarely rates in research agendas (p24)”.

Arguably, the exclusion of consumers from decision-making within research teams is the least of their problems. Despite the burgeoning rhetoric of social inclusion and partnerships (Meagher, 2002) many users/consumers still are maintained in a dependent position by the psychiatric system (and its social services allies). Indeed, one of the clearest examples of the success of the colonising influence of psychiatry and psychology is the way that people often narrate their difficulties as psychological problems, rather than simply as aspects of their lives. In Rogers' (1995) view psychology and psychiatric medicine continue to represent domineering systems for encoding and treating human beings.

Despite the evidence of independent research, which suggests that users/consumers value nurses more highly than any other mental health discipline (Rogers et al, 1993), nurses appear to have difficulty in accepting such approving statements concerning the value of care. At the same time the recovery literature embraces powerfully the concept of care and the human values associated with human caring, seeing these as essential environmental prerequisites for the commencement of the recovery journey. Vanier (1988) talked of the value of “accompaniment” – walking, metaphorically, with people as they make the painful journey necessary to reclaim their lives and, arguably, their human selves. Contemporary psychiatry may be working hard to reform itself but the shadow of psychiatric colonisation still hangs over us all. To foster genuine alliances with people who have been doubly disempowered – by their distress and the psychiatric process – we need to demonstrate our willingness to walk with them, to value and respect their narrative and to learn from them what might need to be done to help further their recovery.

References

- Alanen Y, Lehtinen K and Aaltonen J (1991) Need-adapted treatment of new schizophrenic patients: experience and results of the Turku project. *Acta Psychiatrica Scandinavica* 83, 363-372.
- Altschul AT (1972) *Patient-Nurse Interaction: A study of interaction patterns in acute psychiatric wards*. Edinburgh: Churchill Livingstone
- Alves D and Cleveland P (1999) *The Maori and the Crown: An indigenous people's struggle for self-determination*. Auckland: Greenwood Publishing Group
- Balter M and Katz R (1987) *Sing no sad songs: The Marie Balter Story*. Ipswich MA: The Balter Institute
- Barker P.J. (1989) Reflections on the philosophy of caring in mental health. *International Journal of Nursing Studies* Vol. 26 (2) pp131-141
- Barker PJ. (1996) Chaos and the way of Zen: psychiatric nursing and the 'uncertainty principle' *J Psychiatr Ment Health Nurs.* 3(4):235-43.
- Barker P.(1998) It's time to turn the tide. *Nurs Times.* 94(46):70-2.
- Barker P (2000a) Reflections on caring as a virtue ethic within an evidence-based culture. *International Journal of Nursing Studies* 37, 329-36
- Barker P (2000b) Working with the metaphor of life and death. *J Med Ethics: Medical Humanities* 26, 97-102.
- Barker P (2002) The Tidal Model: The healing potential of metaphor within a patient's narrative. *Psychosocial Nursing and Mental Health Services*, 40(7) 42-50
- Barker P, Campbell P and Davidson B (1999) *From the Ashes of Experience: Reflections on madness, recovery and growth*. London: Whurr
- Barker P and Kerr B (2001) *The Process of Psychotherapy: A journey of discovery* Oxford: Butterworth-Heinemann
- Barker P and Whitehill I (1997) *The Craft of Care: Towards collaborative caring in psychiatric nursing*. In Tilley S (Ed) *The Mental Health Nurse: Views of practice and education*. Blackwell Science: Oxford
- Barker P , Leamy M and Stevenson C (2000) The philosophy of empowerment *Mental Health Nursing* 20 (9) 8-12.
- Barker P and Stevenson C (2000) *The Construction of Power and Authority in Psychiatry* Oxford: Butterworth Heinemann

Barker P, Jackson S, Stevenson C. (1999) What are psychiatric nurses needed for? Developing a theory of essential nursing practice. *J Psychiatr Ment Health Nurs.* 6(4):273-82.

Bracken, P. and Thomas, P. (2001) Postpsychiatry : a new direction in mental health. *British Medical Journal*, 322: 724-727

Buber M (1958) *I and Thou.* (Trans. Ronald Gregor Smith). NY: Charles Scribner and Sons

Bulham H A (1985) *Frantz Fanon and the Psychology of oppression.* NY: Plenum Press

Casey B and Long A (2002) Reconciling voices. *J Psychiatric and Mental Health Nursing* 9(5) 603-610

Champ S (2002) Questionnaires from the heart: national agendas and private hopes. *Nurse Researcher* 9(4) 20-29

Clarke L (1999) *Challenging ideas in psychiatric nursing.* London: Routledge

Cixious H (1993) *Three steps on the ladder of writing.* (Trans S. Cornell and S Sellers). NY: Columbia University Press

Conrad P (1992) *Deviance and Medicalization: From Badness to Sickness.* Philadelphia: Temple University Press.

Daniels AK (1970) The social construction of psychiatric diagnosis. In H Drezel (Ed) *Recent Sociology* No 2. New York: Macmillan

Deegan, P. (1996a). Recovery as a journey of the heart. *Psychiatric Rehabilitation Journal* 19 (3) p. 91-97.

Deegan P (1996b) *Recovery and the Conspiracy of Hope.* Paper presented to the Sixth Annual Mental Health Services Conference of Australia and New Zealand, Brisbane, Australia

Deiter C and Otway L (2001) *Sharing Our Stories On Promoting Health and Community Healing: An Aboriginal Women's Health project.* Winnipeg: Praire Women's Health Centre of Excellence

Department of Health (2001) *The journey to recovery: the government's vision for mental health care.* London: HMSO

Double D (2002) Redressing the imbalance. *Mental Health Today* September, 25-27

- Dumont MP (1984) The non-specificity of mental illness. *The American Journal of Orthopsychiatry* 54, 326-34
- Engel G (1977) The need for a new medical model: a challenge for biomedicine. *Science* 196, 129-36
- Farber S (1987) Transcending medicalism. *J Mind and Behaviour* 8(1) 105-132
- Fletcher E and Stevenson C (2001) Launching the Tidal model in an adult mental health programme. *Nursing Standard* 15 (49) 33-36
- Grob GN (1983) *Mental Illness and American Society*. Princeton, NJ: Princeton University Press
- Hall B A (1996) The psychiatric model: A critical analysis. *Advances in Nursing Science* 18(3) 16-26
- Hawthorne S and Klein R (Eds) *Cyberfeminism: Conectivity, critique and creativity*. Spinifex
- Kemp R, Hayward P and David A (1997) *Compliance Therapy Manual*. The Bethlem and Maudsely NHS Trust.
- Kirk, S.A., & Kutchins, H. (1992). *The selling of the DSM: The rhetoric of science in psychiatry*. Aldine de Gruyer: New York
- Kirk, S.A., & Kutchins, H. (1997). *Making us crazy: The psychiatric bible and the creation of mental disorders*. Free Press: New York.
- Kismayer LJ (1994) Improvisation and authority in illness meaning. *Culture, Medicine and Psychiatry* 18, 183-209
- Laing RD (1967) *The politics of experience*. NY: Ballantine Books
- Leifer R (1990) The medical model as the ideology of the therapeutic state. *Journal of Mind and Behaviour* 11(3-4) 247-58
- Miller JB (1976) *Toward a new psychology of women*. Boston: Beacon Press
- MacIntyre A (1981) *After Virtue* Notre Dame, USA: Notre Dame University Press
- Meagher J (2002) Beyond Partnership: Hypocrisy and challenges in the mental health consumer movement. (Guest Editorial) *Australian e-Journal for the Advancement of Mental Health* 1(1)
- Modrow J (1995) *How to become a schizophrenic: The case against biological psychiatry*. Everett, WA: Apollyon Press.

- Newnes C (2002) Brainwashed. Guardian Thursday 10th January.
- Newnes C, Holmes G and Dunn C (1999) This is madness: A critical look at psychiatry and the future of mental health services. Ross-on-Wye, England: PCCS Books
- Peplau H E (1952) Interpersonal relations in nursing. NY: Putnam
- Robitscher JB (1980) The powers of psychiatry. Boston: Houghton/Mifflin
- Rogers RS (1995) The psychologization of narrating hard times. *Studia Psychologica* 37(3) 180-82
- Rogers A, Pilgrim D and Lacey B (1993) Experiencing psychiatry London: MIND/Macmillan
- Sacks O (1970) The man who mistook his wife for a hat and other clinical tales. NY: Harper and Row
- Samuels C (2000) Colonisation, American Indian Boarding Schools and long term Physical and mental health. Centre for Research on Culture and Health : University of Michigan
- Schaeff A W (1992) Beyond Therapy: Beyond Science San Francisco: Harper
- Schrag P (1978) Mind control. NY: Pantheon
- Scull A (1979) Museums of Madness NY: St Martin's Press
- Stevenson C, Barker P and Fletcher E (2002) Judgement days: developing an evaluation for an innovative nursing model. *J Psych and Mental Health Nursing* 9(3) 271-6
- Stevenson C, Barker P and Fletcher E (2002) The Tidal Model for psychiatric and mental health nursing: A User Focused Evaluation *International Journal of Nursing Studies* (In press).
- Szasz TS (1961) The myth of mental illness: Foundations of a theory of personal conduct. NY: Hoeber-Harper
- Szasz TS (1974) Ideology and Insanity. Harmondsworth: Penguin Books
- Szasz TS (1994) Cruel Compassion: Psychiatric control of society's unwanted. NY: Wiley
- Szasz T S (2000) Curing the therapeutic state: Thomas Szasz on the medicalisation of American life. (Interview with Jacob Sullum) Reason, July

Szasz TS (2002) Liberation by oppression: A comparative study of slavery and psychiatry. Transaction Publishers: London

Travelbee J (1969) Intervention in psychiatric nursing: process in the one-to-one relationship. Philadelphia: FA Davis Company

Vanier J (1988) The broken body: Journey to wholeness. NY: Paulist Press